Physics 2135 Final Exam December 15, 2021

Printed	Name:
---------	-------

**1.** A pair of charges are arranged as illustrated, where  $q_1 > 0$  and  $q_2 > 0$ . The charge  $q_1$  is located at (0, a) and  $q_2$  at (-b, 0).

/200

(10) a. Determine the electric field at the origin produced by  $q_1$  and  $q_2$ .



 $\vec{E} =$ 

(10) b. A third positive charge  $q_3$  is placed at the origin. Determine the electrical force experienced by  $q_3$  from  $q_1$  and  $q_2$ .

 $\vec{F} =$ 

(10) c. Determine the work required to bring  $q_3$  from far away to the origin.



(10) d. Assuming  $q_3$  is at the origin, determine the potential energy of the charge arrangement  $q_1$ ,  $q_2$ , and  $q_3$ .



In the circuit shown, the voltage of the battery is 40 V. The resistors

are:  $R_1 = 17 \Omega$ ,  $R_2 = 4 \Omega$ , and  $R_3 = 12 \Omega$ .

2.

(10) Determine the total equivalent resistance of this circuit. a.

(10) Determine the total current of this circuit. b.

(10) c. Determine the voltage across the  $R_2$  resistor.

(10) d. Determine the power dissipated in the  $R_3$  resistor.

 $R_1$  $R_2$ 













- **3.** A conducting square loop with sides of length *L* and resistance *R* is pulled with steady speed *v* out of region of uniform magnetic field *B* pointing out of the page, as shown in the figure.
- (10) a. Start with Faraday's law and find the magnitude of the electrical current *I* induced in the loop.
- L  $\odot B$  X I =

v

У≰

(5) b. What is the direction of the current induced in the loop? (circle one)

## CLOCKWISE

## COUNTERCLOCKWISE

(5) c. What is the direction of the net force produced by the uniform magnetic field on the loop? (circle one)

↑ or ↓

4. A He-Ne laser produces a cylindrical beam of light of diameter d. The laser beam is directed at normal incidence on the center of a square, perfectly absorbing plate having an edge length L much greater than the diameter of the laser beam. The magnetic field amplitude of the laser beam as it comes out of the laser is  $B_{max}$ .



(10) a. What radiation force *F* does the laser beam exert on the square plate?



(10) b. Determine the power output *P* of the laser.



- A spherical concave mirror has a radius of curvature of 32.0 cm. An object is 5. placed 12.0 cm to the left of the mirror.
- (10) a. What is the image distance?

s' =		

(5) The image is a \_\_\_\_\_\_ image. [Circle the correct word to put in the b. blank.] REAL VIRTUAL

- What is the magnification? (5) C.
- An object is positioned 12 cm to the left of a lens. The image of the object is 6. formed on a screen 6 cm to the right of the lens.
- (10) Find the focal length of the lens. a.

The lens is a \_\_\_\_\_ lens. [Circle the correct word to put in the (5) b. blank.] CONVERGING DIVERGING

(5) Determine the magnification. b.



m =

f =

- 7. A 400nm light source shines on a  $2\mu m$  wide slit that is 6m in front of a screen. [Use the small angle approximation.]
- (15) Determine the distance on the screen from the central maximum to the first order dark fringe.



- 8. A  $0.2\mu m$  thick layer of oil with an index of refraction of 1.5 lies on top of a transparent plate with an index of refraction of 1.4. Light is normally incident on the combination from above as illustrated.
- (15) Determine the longest wavelength of light that will be maximally reflected.



- **9.** A diffraction grating with 1000lines/mm is used to resolve light from two light sources with wavelengths of 604nm and 596nm.
- (10) Determine the number of lines that must be illuminated to resolve the two light sources in 3<sup>rd</sup> order.

